

## 360° rotation forestry loaders mod.BABY 3000



Small timber crane BABY 3000- use in agricultural or forest terrain  
Despite the highly professional quality of the **BABY 3000**, its construction is based on simple principles to guarantee an excellent cost-price ratio.



## **TECHNICAL DATA**

	<b>BABY 3000</b>
<b>Arm length - to gripper center (mm)</b>	3000
<b>weight (Kg)</b>	380
<b>Max weight / Max Load (Kg)</b>	300
<b>MAX height (mm)</b>	4500
<b>Minimum required tractor</b>	35-40 HP
<b>Central rotation</b>	360°
<b>Unlimited grab rotation</b>	360° rotore TR15
<b>N° arms</b>	2
<b>Grab Type</b>	THL 30

Three-point attachment models - Working pressure: 180 bar at 540 rpm.

\*\* R =trailer /

\*\* M = agricultural motorized vehicle /

\*\* T = tractor

### **Optional**

Independent hydraulic system

Quick connect kit for grabs or rotator

Hydraulic arm

Power hoe mounting kit

Seat

### **Description**

This machine has been designed for customers that need to solely and exclusively handle small quantities of wood for personal use. Whilst maintaining impeccable design standards it is constructed using more basic principles so as to significantly reduce the final cost.





