

## Forestry trailer without traction 4000 kg



This trailer offers everything necessary for forestry work, according to your needs: the crane ( the Baby 3000) is equipped with a hydraulic rotating grab that allows transportation of logs while the trailer allows for the transportation of timber even on relatively steep slopes. Moreover, the trailer is also suitable for transporting cereals as well as many other uses.



**This trailer can be homologated for 3000 kg while maintaining the same specifications.**

### **TECHNICAL DATA**

#### **FT40V**

<b>Body dimension (m)</b>	1,50 x 2,50
<b>Sides height (cm)</b>	50
<b>Trailer weight (kg)</b>	700
<b>Tailgate opening</b>	standard
<b>Can be tipped in 3 directions</b>	standard
	N. 8
<b>Holes for posts</b>	2 front, 2 rear and 4 lateral
<b>Locking brake lever</b>	standard
<b>Tyres</b>	10.0/75-15.3 14 PR
<b>Rear capstans</b>	2
<b>Capstan per side</b>	1
<b>Feet with small wheel</b>	standard

## **Optional**

- Drop-down sides
- Side protection cm 50
- Zinc-plated sides for each set of 4 sides
- Hydraulic feet
- Hydraulic brake (not homologated)
- Bevelled double sheet metal base with anti-slip corner pieces for logs

**Note: This trailer can be homologated only with the product listed below**



## **TECHNICAL DATA- BABY 3000**

	<b>BABY 3000</b>
<b>Arm length - to grab center (mm)</b>	3000
<b>Weight (Kg)</b>	380
<b>Max weight / Max Load (kg)</b>	300
<b>Max Height (mm)</b>	4500
<b>Minimum tractor power</b>	35-40 HP
<b>Central rotation</b>	360°
<b>Unlimited grab rotation</b>	360° rotator TR15
<b>Arms</b>	2
<b>Grab Type</b>	THL 30

## **Optional**

- Independent hydraulic system
- Seat
- Hydraulic arm
- Power hoe mounting kit
- Quick connect kit for grabs or rotator
- Slewing bearings

