

**Hydraulic log grabs  
mod. P-Professional (heavy)**



**For excavators of up to 25 tons, for forestry and industrial uses**

***Made from Domex 710 steel and equipped with lock valve***

The **trunk grabs** are used to **transport, load, and unload tree trunks** that have been cleaned of branches and are ready for transport: They can be assembled on forestry cranes of all models and sizes.

The reinforced log grab is for forestry and industrial uses, for excavators of up to 25 tons.



Tecnomeccanica Safety

Block coupling provided as standard



Adjustable pressure


relief and lockout valves provided as standard




Fully closed narrow tooth

## Attacco Safety Block

**Tecnomeccanica Safety Block** coupling provided as standard. This system replaces the flanged rotators and is made entirely of steel, guaranteeing better grip and safety.

| MODEL               | ESCAVATOR<br><br>MATCHED |
|---------------------|---|
| TP 120 professional | MAX 8.5 ton.  |
| TP 135 professional | MAX 12 ton.   |
| TP 155 professional | MAX 15 ton.   |
| TP 175 professional | MAX 20 ton.   |
| TP 200 professional | MAX 25 ton.   |

### TECHNICAL DATA



### TECHNICAL DATA FOR REFERENCE PURPOSES

| MODEL                 | Weight<br>kg | Lift<br>Kg | MAX<br>BAR | A<br>mm | B<br>mm | C<br>mm | D<br>mm | E<br>mm | F<br>mm | G<br>mm | SP<br>mm | AREA<br>mq |
|-----------------------|--------------|------------|------------|---------|---------|---------|---------|---------|---------|---------|----------|------------|
| TP 120 P-professional | 130          | 1900       | 350        | 1200    | 770     | 450     | 480     | 510     | 80      | 355     | 12       | 0,201      |
| TP 135 P-professional | 180          | 2300       | 350        | 1350    | 880     | 500     | 540     | 550     | 90      | 370     | 15       | 0,255      |
| TP 155 P-professional | 314          | 2900       | 350        | 1550    | 960     | 620     | 630     | 600     | 100     | 430     | 15       | 0,336      |
| TP 175 P-professional | 400          | 3400       | 350        | 1750    | 1100    | 680     | 710     | 670     | 130     | 490     | 20       | 0,428      |
| TP 200 P-professional | 500          | 4000       | 350        | 2000    | 1300    | 800     | 820     | 780     | 150     | 560     | 20       | 0,531      |

