

JOLLY 3 - Ideal for sidewalks and public spaces



PATENTED SPILLAGE SYSTEM

Tecnomeccanica launches a absolute innovation for snow removal: Jolly 3.

This is a device capable of removing snow and spreading salt on pavements, even after abundant snowfalls.

Jolly 3 is the new mini-snowplough for wintertime road management that works on pavements or narrow pedestrian walkways. It is very useful for clearing public spaces like schools, hospitals, public offices, but also for quickly clearing manoeuvring lanes and private or condominium courtyards. The front snowplough clears passageways from snow.

The central part of the machine distributes salt on the ground uniformly over a span of 70 cm. Jolly 3 can be equipped with a salt spreader and snowplough so as to leave a layer of anti-slip material on ground freshly cleared of snow.



**Minidumper with snowplough/salt spreading kit
TWO MACHINES IN ONE!**

TECHNICAL FEATURES

		JOLLY 41
Machine dimensions	length, mm	1865 (1795)
	width, mm	675 (930)
	height, mm	1080 (900)
Belt	type	steel and rubber
Size	length, mm	740
	width, mm	180
	roadway, mm	675
Motor		Mitsubishi GB130
Maximum power	Kw (HP/rpm)	3,1 (4,2/2000)
Maximum capacity	kg	400
Minimum ground light	mm	90
Shift	no. of gears	6 forward / 2 behind
Maximum speed	forward km/h	0,4-0,7-1,2- 1,6-2,7-4,4
	behind km/h	0,6-2,1
Grade ability	%	25
Weight	kg	180+250 with salt spreader + snow blade

MODEL

		JOLLY 41
Machine accessories	operator platform	standard
	electric ignition	optional
	handlebar height adjustments	standard – 3 positions
Road accessories	salt spreader with crusher roller, width 700 mm	standard
	3-position snowplow blade composed of: central part, width 700 mm plus lateral extensions, width 200 mm	standard
	Snowplow 250 wide and 15° convex inward to facilitate clearing of open areas	optional
	snowplow with blade	optional
	working light (only for the model with electric ignition)	optional
	auxiliary internal combustion engine (Honda GX200) complete with salt spreader system and blade	optional
Goods transport accessories	platform with extendable sides (height 150 mm)	standard
	tippable iron sides (height 200 mm)	optional
	dump truck with the possibility of manual tilting (height 200 mm)	optional

- The salt spreader command is complemented by a unidirectional flow regulator that allows the amount of salt to be spread to be determined
- Minidumper with series standard bed that allows the machine to be used outside of the winter season



Detailed view of the lateral bolted extension attachment



Detailed view of the salt spreader and snowplow commands.



Machine outfitted with working light



Machine at work in a square



Minidumper with series

standard



Detailed view of the

stabilizer leg for kit release



Detailed view of the

snowplow frame



Blade orientation

regulation



Protection network

