

# Hydraulic Grapple Standard LARGE CAPACITY



For forestry and farming

## Made from Domex 710 steel and equipped with lock valve

The **trunk grapple** are used to **transport, load, and unload tree trunks** that have been cleaned of branches and are ready for transport: They can be assembled on forestry cranes of all models and sizes.

This model of grapple is used for forestry and farming.


You get all the models **LARGE CAPACITY** by reducing the maximum width of opening with a more rounded shape that increases the performance of use and significantly the loading volume.

For example , a grapple of 1.35 m the opening will be of 1.20m.

## Download

 [Scarica il CERTIFICATO DI ORIGINE PINZE DA LEGNA \(77.5 KiB\)](#)








## TECHNICAL DATA FOR REFERENCE PURPOSES



MODE L	Weight kg	Lift Kg	MAX bar	A mm	B mm	C mm	D mm	E mm	F mm	G mm	SP D mm	AREA mq	SP C mm
THL 30	58	1000	200	1000	730	405	450	460	65	310	8	0,146	8
THLS 30	72	1200	200	1000	730	405	450	460	65	310	10	0,146	10
TP 120	100	1500	200	1200	770	450	480	510	80	355	10	0,201	10
TP 135	140	1900	200	1350	880	500	540	550	90	370	12	0,255	12
TP 155	212	2500	200	1550	960	620	630	600	100	430	12	0,336	12
TP 175	300	3000	200	1750	1100	680	710	670	130	490	15	0,428	15

## GRAPPLE ACCESSORIES- ROTATORS FOR WOOD GRAPPLE

- [ACCESSORIES Grapple - Rock grapple - Clamshell buckets](#)
- [ROTATORS Grapple accessories](#)

	Rotori per uso orizzontale/verticale per pinze mod. RF
	Rotori ad uso pendolare per pinze mod.RP
	Forcella (su misura per mod. RF)
	Forcella (su misura per mod. RP)
	Valvola di MASSIMA per pressioni superiori ai 200 BAR
	Kit Benne per pinze modello comby
	Attacco rapido (specificare modello)



Tecnomeccanica S.r.l.  
Via I° Maggio, 56 - 10035 Casale di Mazzè (TO)  
Tel. +39 011 9830776 - Fax +39 011 9830776  
[www.tecnomeccanicaformia.it](http://www.tecnomeccanicaformia.it)