

# Hydraulic mulcher for SKID LOADER Type SUPER FAST C-SKID

Working speed 4000 RPM



with belt's trasmission

## Standard equipment

- Hydraulic section: Unidirectional or bidirectional hydraulic motor
- Tools B;

- Wear-resistant pads;
- Rear roller for cutting height adjustment;
- Front stone guard vanes;
- Hydraulic safety block;
- Motor with belt transmission;
- SKID LOADER Attachment;
- Two hydraulic pipes / hoses without quick coupling


## Accessories on demand

- Counter-knives
- Tools, figure E (each)
- Floating System on linkage back plate 4 POSITIONS
- Double front protection with chain
- Hydraulic shift ride side (40 cm)

## Technical Data

Models	Total Length (mm)	Length (mm)	Height (mm)	Working width (mm)	Weight (Kg)	Oil flow rate
ST 1400 C-SKID	1600	850	400	1400	320	45-48
ST 1500 C-SKID	1700	850	400	1500	340	45-48
ST 1600 C-SKID	1800	850	400	1600	360	65-68
ST 1800 C-SKID	2000	850	400	1800	340	65-68
ST 2000 C-SKID	2200	850	400	2000	400	95-100

## Tools

Tools	Description	Use	Model				
			ST 1400 C-SKID	ST 1500 C-SKID	ST 1600 C-SKID	ST 1800 C-SKID	ST 2000 C-SKID
	B Straight + 2 Y knife	The tool is ideal for breaking up grass, small pieces of wood and branches up to 5-6 cm in diameter	44 Y + 22	48 Y + 22	52 Y + 26	64 Y + 32	84 Y + 42
		The tool is ideal for breaking up	21	30	30	40	50

grass, small  
pieces of  
wood and  
branches up  
to 5-6 cm in  
diameter